

DEPARTMENT OF ENVIRONMENTAL SERVICES

Multiway Stop Analysis N Harrison St At 26th St N

Prepared For: Arlington County Department of Environmental Services Division of Transportation 2100 Clarendon Boulevard, Suite 900 Arlington, VA 22201 TEL: 703-228-3000

> Prepared By: S. Viricochea

> > 4/4/2016



I. Introduction

This report presents the study conducted to determine if an all-way stop condition is warranted at the intersection of N Harrison St and 26th St N. The analysis was performed in accordance with Arlington County Warrants for Multiway Stop Signs. The specific warrants that are applicable are based on the functional classification of all approaches to the intersection.

In cases where all approaches are classified as neighborhood streets, the neighborhood street warrants are applicable. In cases where at least one of the approaches is classified as an arterial, the arterial street warrants are applicable.

The functional classification of N Harrison St is arterial street and the functional classification of 26th St N is neighborhood street, and as such, the Arterial Street Warrants are applicable. These warrants consist of the following four specific criteria used to evaluate an intersection for a multiway stop condition:

- Traffic Signal Installation
- Traffic Accidents
- Minimum Traffic Volumes
- Combination Warrants

Field observations were made to determine intersection characteristics, operations during peak hours, and sight distance restrictions. Additionally, vehicular, pedestrian, and bicycle activity was observed to determine if improvements to the intersection are needed to ensure the safety and mobility of all users.

Transportation data obtained for the analysis includes vehicular volumes collected by Quality Traffic Data, LLC on 03/03/2016 and accident history for the five most recent years for which data is available. Appendix A presents the transportation volume data.



II. Warrants

Warrant 1- Traffic Signal Installation

Guidance

The signal installation warrant suggests that where traffic signals are warranted and urgently needed, a multiway stop sign is an interim measure that can be installed quickly to control traffic while arrangements are being made for the signal installation.

Analysis

A traffic signal warrant analysis has been completed for this intersection. *The results of the traffic signal warrant analysis indicate that a traffic signal is not warranted.*

Results

Based on the stated criteria, the traffic signal installation warrant is not met.

Warrant 2- Traffic Accidents

Guidance

The traffic accidents warrant suggests that a multiway stop may be warranted where an accident trend exists as indicated by five or more qualifying accidents in a 12-month period. Qualifying accidents include reported right-and left-turn collisions as well as right-angled collisions that are susceptible to correction by a multiway stop sign installation.

Analysis

A maximum of 2 qualifying accidents occurred within any 12-month period between 01/01/2010 and 07/09/2015. *The number of accidents in a 12-month period does not meet the threshold of five.*

Results

Based on the stated criteria, the traffic accidents warrant is not met.



Warrant 3- Minimum Traffic Volumes Warrant

Guidance

The minimum traffic volumes warrant is to be treated as a single warrant with two distinct parts (Parts A and B). The combination of Parts A and B are not needed to satisfy the warrant. If Part A is satisfied, then the minimum traffic volumes warrant is met; similarly if Part B is satisfied, the minimum traffic volumes warrant is met.

Part A of the minimum traffic volumes warrant suggests that a multiway stop may be warranted where all <u>three</u> of the following criteria are met:

1.) The vehicular volume entering an interesection for the total of both approaches of the major street averages at least 300 vehicles per hour for eight hours of an average day; **and**

2.) The combined pedestrian, bicycle, and motor vehicle volume from the minor street averages at least 200 units per hour for the same eight hours; **and**

3.) The average delay to minor street vehicular traffic is at least 30 seconds per vehicle during the peak hour.

Analysis

1.) The total vehicular volume entering the intersection from both approaches of the major street averages 700 vehicles per hour for the eight highest volume hours of an average day.

This does meet the required average volume of 300 vehicles per hour for eight hours of an average day.

2.) The total vehicular, bicycle, and pedestrian volume entering the intersection from both approaches of the minor street averages 165 units per hour for the same eight hours of an average day.

This does not meet the required combined vehicular, bicycle, and pedestrian average volume of 200 units per hour for the same eight hours of an average day.

3.) The average delay to minor street vehicular traffic is less than 30 seconds per vehicle during the maximum hour.

This does not meet the required minor street delay of 30 seconds or more during the maximum hour.

Results

Part A of the minimum traffic volumes warrant is not satisfied.



Warrant 3- Minimum Traffic Volumes Warrant (continued)

Guidance

Part B of the minimum traffic volumes warrant states that if the 85th percentile approach speed of the major-street traffic exceeds 40 mph, the minimum vehicular warrants can be reduced to 70-percent of the values in Part A. In such cases, a multiway stop may be warranted where all <u>three</u> of the following criteria are met:

1.) The vehicular volume entering an interesection for the total of both approaches of the major street averages at least 210 vehicles per hour for any eight hours of an average day; **and**

2.) The combined pedestrian, bicycle, and motor vehicle volume from the minor street averages at least 140 units per hour for the same eight hours; **and**

3.) The average delay to minor street vehicular traffic is at least 30 seconds per vehicle during the peak hour.

Analysis

The 85th percentile approach speed of the major-street traffic is less than 40 mph; therefore, Part B of the minimum traffic volumes warrant is not applicable.

Results

Part B of the minimum traffic volumes warrant is not satisfied.

Based on the stated criteria, the minimum traffic volumes warrant is not met.



Warrant 4- Combination Warrant

Guidance

The combination warrant suggests that a multiway stop may be warranted where no single criterion from Warrants 2 and 3 is satisfied, but where <u>all</u> of the following adjusted criterion from those warrants are satisfied:

1.) An accident trend exists as indicated by four or more accidents within a 12-month period susceptible to correction by a mulitway stop sign installation; **and**

2.) The vehicular volume entering an interesection for the total of both approaches of the major street averages at least 240 vehicles per hour for eight hours of an average day; **and**

3.) The combined pedestrian, bicycle, and motor vehicle volume from the minor street averages at least 160 units per hour for the same eight hours; **and**

4.) The average delay to minor street vehicular traffic is at least 24 seconds per vehicle during the peak hour.

Analysis

1.) A maximum of 2 qualifying accidents occurred within any 12-month period between 01/01/2010 and 07/09/2015.

The number of accidents in a 12-month period does not meet the threshold of four.

2.) The total vehicular volume entering the intersection from both approaches of the major street averages 700 vehicles per hour for the eight highest volume hours of an average day.

This does meet the required average volume of 240 vehicles per hour for eight hours of an average day.

3.) The total vehicular, bicycle, and pedestrian volume entering the intersection from both approaches of the minor street averages 165 units per hour for the same eight hours.

This does meet the required combined vehicular, bicycle, and pedestrian average volume of 160 units per hour for the same eight hours of an average day.

4.) The average delay to minor street vehicular traffic is less than 24 seconds per vehicle during the maximum hour.

This does not meet the required minor street delay of 24 seconds or more during the maximum hour.

Results

Based on the stated criteria, the combination warrant is not met.



III. Conclusion

<u>Summary</u>

This report contains the analysis that was completed to determine if an all-way stop condition is warranted at the intersection of N Harrison St and 26th St N. The analysis was performed in accordance with Arlington County Warrants for Mulitway Stop Signs. The specific warrants that were applied were based on the functional classification of all approaches to the intersection.

The functional classification of N Harrison St is arterial street and the functional classification of 26th St N is neighborhood street, and as such, the Arterial Street Warrants were applied.

Following are the results of each of the multiway stop warrants:


- The Traffic Signal Installation Warrant is not met.
- The Traffic Accidents Warrant is not met.
- The Minimum Traffic Volumes Warrant is not met.
- The Combination Warrant is not met.

Recommendation

The results of the analysis presented in this report indicate that none of the warrants are met for the installation of a multiway stop condition. Based on this finding and engineering judgement, it is recommended that the intersection should continue to operate as it currently does.



Analyst: S. Viricochea







> APPENDIX A Transportation Count Raw Data


SUMMARY PAGE


#008 N Harrison St - MAJOR & 26th St - MINOR

LOCATION#:	008	QTD PROJ#:	2016127	AM PEAK HOUR:	
NORTH / SOUTH:	N Harrison St - MAJOR	COUNT DATE:	Thursday, March 03, 2016	MD PEAK HOUR:	730 AM - 830 AM
EAST / WEST:	26th St - MINOR	VICINITY:	VA	PM PEAK HOUR:	
WEATHER:	NORMAL / CLEAR	AM TOTAL PHF:		AM PEAK 15-Min:	
	_	MD TOTAL PHF:	0.865	MD PEAK 15-Min:	800 AM - 815 AM
		PM TOTAL PHF:		PM PEAK 15-Min:	









	AM COUNT	•	то	-
	MD COUNT	7:00 AM	то	7:00 PM
QUALITY TRAFFIC DATA, LLC 9701 W Pico Blvd, Suite 205, Los Angeles, CA 90035	PM COUNT	-	то	-
Phone: 310-341-0019 Fax: 310-807-9247 Info@QualityTrafficData.com				

VEHICLE TURNING MOVEMENT COUNT

#008 N Harrison St - MAJOR & 26th St - MINOR - MD PEAK

LOCATION#:	008	QTD PROJ#:	2016127
NORTH / SOUTH:	N Harrison St - MAJOR	DATE:	Thursday, March 03, 2016
EAST / WEST:	26th St - MINOR	VICINITY:	VA

DIRECTION:	NL	NT	NR	U	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	707410
LANES:	0	1	0	0	0	1	1	0	0	1	0	0	0	1	0	0	TOTALS
7:00 AM	0	37	6	0	3	41	2	0	1	6	4	0	10	4	3	0	117
7:15 AM	3	60	19	0	4	55	1	0	7	9	8	0	6	3	4	0	179
7:30 AM	2	60	18	0	7	88	7	1	6	6	14	0	7	3	9	0	228
7:45 AM	7	87	28	0	13	86	2	0	5	16	17	0	10	2	3	0	276
8:00 AM	3	64	59	0	6	106	2	0	7	19	6	0	12	11	8	0	303
8:15 AM	7	59	23	0	11	84	6	0	1	10	18	0	13	6	3	0	241
8:30 AM	7	52	8	0	6	84	5	0	1	5	17	0	10	7	9	0	211
8:45 AM	9	52	10	0	4	121	6	0	1	6	10	0	12	10	1	0	242
9:00 AM	4	46	5	0	3	73	4	0	1	2	15	0	4	3	0	0	160
9:15 AM	2	47	7	0	2	62	1	0	3	3	11	0	9	3	0	0	150
9:30 AM	5	42	9	0	3	47	1	0	2	3	7	0	7	1	2	0	129
9:45 AM	2	41	8	0	2	44	0	0	1	6	9	0	8	1	1	0	123
10:00 AM	2	34	11	0	0	54	0	0	1	10	5	0	8	5	0	0	130
10:15 AM	4	36	17	0	0	22	1	0	1	0	9	0	9	1	1	0	101
10:30 AM	2	30	6	0	1	44	1	0	1	3	7	0	3	2	0	0	100
10:45 AM	3	47	7	0	0	47	2	0	1	9	5	0	9	0	0	0	130
11:00 AM	8	36	17	0	0	52	2	0	2	3	7	0	6	2	0	0	135
11:15 AM	4	43	6	0	1	46	1	0	1	5	8	0	2	2	1	0	120
11:30 AM	4	65	22	0	5	49	2	0	2	4	6	0	5	4	1	0	169
11:45 AM	10	51	19	0	0	59	1	0	3	1	9	0	13	9	1	0	176
12:00 PM	6	41	10	0	3	63	1	0	4	2	9	0	11	3	3	0	156
12:15 PM	9	51	13	0	2	58	0	0	1	4	8	0	7	7	0	0	160
12:30 PM	11	69	20	0	1	71	1	0	3	7	4	0	12	2	1	0	202
12:45 PM	8	53	9	0	5	55	2	0	0	4	6	0	10	3	0	0	155
1:00 PM	7	57	14	0	0	45	0	0	1	4	5	0	1	3	1	0	138
1:15 PM	11	68	13	0	0	62	0	0	1	2	5	0	5	4	3	0	174
1:30 PM	4	50	13	0	3	70	3	0	2	6	10	0	6	4	5	0	176
1:45 PM	2	58	10	0	2	56	1	0	0	4	7	0	7	3	2	0	152
2:00 PM	8	47	8	0	0	55	0	0	2	6	9	0	6	3	2	0	146
2:15 PM	4	58	9	0	2	44	2	0	3	4	7	0	11	2	2	0	148
2:30 PM	8	59	18	0	2	65	6	0	1	1	8	0	8	1	5	0	182
2:45 PM	3	77	15	0	2	61	1	0	2	5	10	0	6	7	0	0	189
3:00 PM	7	58	18	0	4	78	1	0	3	8	11	0	31	15	8	0	242
3:15 PM	10	82	30	0	6	83	4	0	4	3	13	0	15	8	4	0	262
3:30 PM	6	51	16	0	4	77	3	0	2	4	12	0	8	11	1	0	195
3:45 PM	13	57	15	0	2	86	1	0	0	9	12	0	17	8	1	0	221
4:00 PM	14	63	17	0	3	74	2	0	1	5	7	0	15	6	1	0	208
4:15 PM	8	52	15	0	3	72	2	0	2	8	18	0	9	6	5	0	200
4:30 PM	7	68	18	0	6	97	1	0	3	3	8	0	9	4	1	0	225
4:45 PM	12	76	27	0	3	102	2	0	2	1	13	0	12	10	2	0	262
5:00 PM	14	82	19	0	2	93	2	0	6	5	12	0	13	5	4	0	257
5:15 PM	10	64	25	0	6	97	4	0	0	3	16	0	4	5	3	0	237
5:30 PM	9	89	24	0	5	95	2	0	0	9	14	0	11	6	6	0	270
5:45 PM	14	76	15	0	3	96	5	0	3	6	10	0	6	5	5	0	244
6:00 PM	19	77	14	0	2	102	4	0	6	10	10	0	18	1	5	0	268
6:15 PM	6	61	29	0	6	99	1	0	2	7	15	0	11	5	2	0	244
6:30 PM	10	56	18	0	0	79	2	0	3	7	6	0	17	5	5	0	208
6:45 PM	8	79	8	0	0	64	I	0	1	3	6	0	6	1		0	184
VOLUME STATS:	NL	NT	NR	U	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	
TOTAL:	336	2768	765	0	148	3363	<u>зк</u> 101	1	EL 106	266	463	0	455	228	125	0	9125
P.H.V: 1									106							0	
	19	270	128 327 —	0	37	364 - 0.9	17	1	19	51	55 322 ——	0	42	22	23	U	1048
P.H.F: 2		0.8	527 —		L	_ 0.9	'IY —			0.8)ZZ		L	- 0.1	702		0.865

Peak Hour Volume (Peak Hour - 730 AM - 830 AM)
Peak Hour Factor (directional aggregate)
Peak 15m: 800 AM - 815 AM

HEAVY TRUCKS & BUSES TURNING MOVEMENT COUNT

#008 N Harrison St - MAJOR & 26th St - MINOR - MD PEAK

LOCATION#:	008	QTD PROJ#:	2016127
NORTH / SOUTH:	N Harrison St - MAJOR	DATE:	Thursday, March 03, 2016
EAST / WEST:	26th St - MINOR	VICINITY:	VA

DIRECTION:	NL	NT	NR	U	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	TOTALS
LANES:	0	1	0	0	0	1	1	0	0	1	0	0	0	1	0	0	
7:00 AM	0	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	3
7:15 AM	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	3
7:30 AM	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3
7:45 AM	0	0	0	0	0	3	0	0	0	1	0	0	0	0	0	0	4
8:00 AM	0	1	0	0	2	2	0	0	0	0	0	0	1	0	0	0	6
8:15 AM	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	5
8:30 AM 8:45 AM	0	1	0	0	0	1 3	0	0	0	0	0	0	0	0	0	0	2
9:00 AM	0	2	0	0	1	<u> </u>	0	0	0	0	0	0	0	0	1	0	4 5
9:15 AM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	5 1
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
10:00 AM	0	1	0	0	0	0	0	0	0	1	0	Ő	0	0	0	0	2
10:15 AM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
10:30 AM	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	3
10:45 AM	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
11:00 AM	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	3
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3
11:45 AM	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
12:00 PM	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	4
12:15 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
12:30 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
12:45 PM 1:00 PM	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2 3
1:15 PM	0	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4
1:30 PM	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
1:45 PM	0	3	1	0	0	1	0	0	0	0	0	0	0	0	0	0	5
2:00 PM	0	1	0	0	0	1	0	0	0	0	3	0	0	0	0	0	5
2:15 PM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
2:30 PM	0	1	0	0	0	1	0	0	0	1	1	0	0	0	0	0	4
2:45 PM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
3:00 PM	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	0	4
3:15 PM	0	1	0	0	0	1	0	0	0	0	0	0	1	0	0	0	3
3:30 PM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
3:45 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
4:00 PM	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3
4:15 PM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4
4:30 PM	0	3	0	0	0	2	0	0	0	0	0	0	0	0	0	0	5
4:45 PM	0	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	4
5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<u>5:15 PM</u> 5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:00 PM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VOLUME STATS:	NL	NT	NR	U	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	
TOTAL:				-								-					115
P.H.V:	1	47	3	0	5	39	0	0	0	6	5	0	3	3	3	0	115
P.H.V: 1	0	2	375 <u> </u>	0	3	10	0 313 —	0	0	1	0	0	1	0	0 250	0	18
P.H.F: 2		_ 0	575 —			. 0.8	513 —			- 0.4	200			_ U.∠	250		0.750

 Peak Hour Volume (Peak Hour - 730 AM - 830 AM)
Peak Hour Factor (directional aggregate) (3) Peak 15m: 800 AM - 815 AM



PEDESTRIAN CROSSWALK COUNTS

#008 N Harrison St - MAJOR & 26th St - MINOR - MD PEAK

LOCATION#:	008	QTD PROJ#:	2016127
NORTH / SOUTH:	N Harrison St - MAJOR	DATE:	Thursday, March 03, 2016
EAST / WEST:	26th St - MINOR	VICINITY:	VA

DIRECTION:	EASTERN CROSSWALK	WESTERN CROSSWALK	SOUTHERN CROSSWALK	NORTHERN CROSSWALK	TOTALS
7:00 AM	2	0	0	0	2
7:15 AM	2	2	3	1	8
7:30 AM	3	0	0	0	3
7:45 AM	6	1	0	0	7
8:00 AM	4	0	0	1	5
8:15 AM	3	0	0	0	3
8:30 AM	1	0	0	0	1
8:45 AM	0	0	3	0	3
9:00 AM	3	0	0	0	3
9:15 AM	2	1	0	0	3
9:30 AM	1	0	0	0	1
9:45 AM	2	0	0	1	3
10:00 AM	3	1	1	0	5
10:15 AM	2	0	2	2	6
10:30 AM	2	0	0	0	2
10:45 AM	1	0	0	0	1
11:00 AM	4	2	2	0	8
11:15 AM	2	0	0	0	2
11:30 AM	0	1	1	0	2
11:45 AM	1	0	0	0	1
12:00 PM	6	1	0	0	7
12:15 PM	6	0	0	0	6
12:30 PM	1	0	1	0	2
12:45 PM	5	0	0	1	6
1:00 PM	1	0	1	0	2
1:15 PM	0	1	0	0	1
1:30 PM	1	2	2	0	5
1:45 PM	1	2	1	2	6
2:00 PM	2	2	2	0	6
2:15 PM	0	0	0	0	
2:30 PM	1	1	0	1	3
2:45 PM	4	0	1	3	8
3:00 PM	12	0	1	0	13
3:15 PM	24	1	1	2	28
3:30 PM	8	0	1	1	10
3:45 PM	10	0	3	0	13
4:00 PM	2	0	5	0	7
4:15 PM	4	0	2	0	6
4:30 PM	3	2	4	3	12
4:45 PM	2	2	3	0	7
5:00 PM	2	0	0	0	2
5:15 PM	6	0	2	0	8
5:30 PM	2	2	1	0	5
5:45 PM	2	5	2	0	9
6:00 PM	2	0	2	0	4
6:15 PM	9	2	0	0	11
6:30 PM	4	1	2	1	8
6:45 PM	2	0	0	0	2
0.451 10	۷	0	0	v	

VOLUME STATS:	EASTERN CROSSWALK	WESTERN CROSSWALK	SOUTHERN CROSSWALK	NORTHERN CROSSWALK	
TOTAL:	166	32	49	19	266
P.H.V: 1	54	1	6	3	64
P.H.F: ₂	0.563	0.250	0.500	0.375	0.571

Peak Hour Volume (Peak Hour - 730 AM - 830 AM)
Peak Hour Factor
Peak 15m: 800 AM - 815 AM

QUALITY TRAFFIC DATA, LLC 9701 W Pico Blvd, Suite 205, Los Angeles, CA 90035 Phone: 310-341-0019 Fax: 310-807-9247 Info@QualityTrafficData.com

BICYCLE TURNING MOVEMENT COUNT

#008 N Harrison St - MAJOR & 26th St - MINOR - MD PEAK

LOCATION#: 008 NORTH / SOUTH: N Harrison St - MAJOR EAST / WEST: 26th St - MINOR

QTD PROJ#: 2016127 DATE: Thursday, March 03, 2016 VICINITY: VA

DIRECTION:	NL	NT	NR	U	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	TOTALC
LANES:	0	1	0	0	0	1	1	0	0	1	0	0	0	1	0	0	TOTALS
7:00 AM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2
7:15 AM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 AM	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_
9:15 AM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
9:30 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
10:15 AM 10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM 10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	<u> </u>	0	0	0	0	0	0	0	0	0	0	1
11:30 AM	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
3:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_
4:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
4:30 PM	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:00 PM 5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:30 PM 5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
VOLUME STATS							07		-								
VOLUME STATS: TOTAL:	NL	NT	NR	U 0	SL	ST	SR	U	EL	ET	ER	U	WL	WT	WR	U	14
	1	4	0	0	1	4	0	0	1	1	0	0	0	1	1	0	14
P.H.V:	1 0	2	0	0	0	1	0	0	0	1	0	0	0	0	0	0	4
P.H.F:	2	_ 0.:	250 —			- 0.2	250 —			0.2	250			_ 0.0			0.500

 (1) Peak Hour Volume (Peak Hour - 730 AM - 830 AM)
(2) Peak Hour Factor (directional aggregate) (3) Peak 15m: 800 AM - 815 AM

